

300dpi performance printing

Small size yet fully featured



Compact

The small footprint of the new CL-E303 makes it a perfect printer for tight spaces but still allows labels up to 4.5 inches wide to be printed on a 5 inch media roll.

Connected

With an on-board Ethernet LAN interface as standard together with USB and Serial interfaces, the CL-E303 is perfect for all applications.

CL-E303

Label, Desktop

Applications

- Courier
- Logistic / Transport
- Pharmacy
- Retail



The CL-E303 is simple to use and intuitive, ensuring users waste no time when changing labels or adjusting settings.



Featuring on-board LAN, USB and Serial interfaces.

Specifications

Model	CL-E303
Printing Technology	Direct Thermal
Resolution	300 dpi
Print Speed (maximum)	6 inches per second (150 mm/s)
Print Width (maximum)	4 inches (104 mm)
Media Width (min to max)	1 to 5 inches (25.4 to 118.1 mm)
Roll Size (max), Core Size	Inside diameter 5 inches (125 mm) Core size 1 inch (25mm)
Media Sensor	Fully adjustable gap and reflective black mark
Main Interface	Triple interface USB 2.0, RS-232 and 10/100 Ethernet
Emulations (Languages)	Cross-Emulation™ - automatic switching between Zebra® ZPL-II® and Datamax® I-Class®, DMX400
Drivers and software	Free-of-charge on CD with printer, including support for various platforms
Flash (Non-Volatile Memory)	16 MB total, 4MB available for user
Warranty	2 years on printer. 6 months or 30 Kms on printhead
EMC and safety standards	CE, TUV, UL, FCC, VCCI

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0

CL-E303

Label, Desktop

Features & Benefits

- ENERGY STAR® compliant
- Small footprint



Thanks to its Energy Star® compliant power supply, the CL-E303 series is one of the most environmentally friendly label printer ranges on the market.