

## Vielfältige Funktionen für den industriellen Desktop-Druck

Industrie Desktop-Drucker



### Hohe Druckgeschwindigkeit

Druck eines normalen Versandetiketts in knapp einer Sekunde; Ausgabe des ersten Etikett ohne Verzögerung

### Robuste interne Stromversorgung

Alle Drucker verfügen über einen internen Anschluss für die Stromversorgung, um einen möglichst zuverlässigen Betrieb zu gewährleisten und Problemen außen liegender Netzanschlüsse vorzubeugen.

### Thermodirekt

Die CL-S521-Modelle arbeiten mit Thermodirektdruck und beschichteten Medien und benötigen somit kein Farbband.

## CL-S521

Label, Desktop

### Applications

- Ticketing
- Manufacturing
- Logistic / Transport
- Healthcare
- Courier



Schreibtischgröße – Industrieleistung

# CITIZEN



Optional interne Wireless LAN- und Ethernet-Schnittstellen

## Specifications

| Model                        | CL-S521  |
|------------------------------|--|
| Printing Technology          | Direct Thermal   |
| Resolution                   | 203 dpi  |
| Print Speed (maximum)        | 6 inches per second (150 mm/s)   |
| Print Width (maximum)        | 4 inches (104 mm)  |
| Media Width (min to max)     | 0.5 to 4 inches (12.5 to 118 mm)   |
| Roll Size (max), Core Size   | Inside diameter 5 inches (125 mm) External diameter 8 inches (200mm) Core size 1 inch (25mm)   |
| Media Thickness (min to max) | 63.5 to 254 µm   |
| Media Length (min to max)    | 0.25 to 64 inches (6.35 to 1625.6 mm)  |
| Media Sensor                 | Fully adjustable gap, notch and reflective black mark  |
| Main Interface               | Dual Interface Serial (RS-232C), USB (version 2.0, full speed)   |
| Interface                    | Wireless LAN 802.11b and 802.11g standards, 100 metres, 64/128 bit WEP, WPA, up to 54Mbps, Ethernet (10/100 BaseT), Parallel (IEEE 1284 compliant)                                     |
| Mechanism                    | Hi-Lift™ metal mechanism with wide opening head  |
| Control panel                | 4 buttons and 4 LEDs   |
| Emulations (Languages)       | Datamax® I-Class™ & DMX400™, Zebra® ZPL-II®, Cross-Emulation™ - automatic switching between Zebra® ZPL-II® and Datamax® I-Class®, DMX400, BASIC interpreter for data stream processing |
| Drivers and software         | Free-of-charge on CD with printer, including support for various platforms   |
| Flash (Non-Volatile Memory)  | 4 MB total, 1 MB available for user  |

## CL-S521

### Label, Desktop

## Features & Benefits

- Hi-Open™ case for vertical opening, no increase in footprint and safe closing.
- No more unreadable labels - the ARCP™ ribbon control technology assures clear prints.
- Low space requirement - integrated power supply enables clean work station
- Basic peeler



Mechanismus komplett aus Metall für dauerhafte Leistung

# CITIZEN

CL-S521

Label, Desktop

|                                    |   |
|------------------------------------|---|
| <b>Model</b>                       | CL-S521   |
| <b>Size (W x D x H) and Weight</b> | 231 x 289 x 183mm, 3.6 Kg                           |
| <b>Warranty</b>                    | 2 years on printer. 6 months or 30 Kms on printhead |

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0