

# CITIZEN

## Имеет характеристики, необходимые для промышленной настольной печати

плотный настольный принтер



### Легкая загрузка материала для печати

Механизм Hi-Lift™ и широко открывающаяся крышка принтера обеспечивают легкую и удобную загрузку этикеток и установку красящей ленты.

### Надежный внутренний источник питания

Все принтеры поставляются с внутренними источниками питания, гарантирующими надежную работу принтера, исключая сбои, характерные для внешних источников питания.

### Прямая термопечать

Модели CL-S521 осуществляют прямую термопечать на бумаге с покрытием, не используя красящие ленты.

## CL-S521

Label, Desktop

### Applications

- Ticketing
- Manufacturing
- Logistic / Transport
- Healthcare
- Courier



Компактные размеры – промышленный  
уровень производительности

TOMORROW'S PRINTING TODAY



Дополнительные варианты подключения: внутренний адаптер беспроводной ЛВС или Ethernet.

## Specifications

Model	CL-S521
<b>Printing Technology</b>	Direct Thermal
<b>Resolution</b>	203 dpi
<b>Print Speed (maximum)</b>	6 inches per second (150 mm/s)
<b>Print Width (maximum)</b>	4 inches (104 mm)
<b>Media Width (min to max)</b>	0.5 to 4 inches (12.5 to 118 mm)
<b>Roll Size (max), Core Size</b>	Inside diameter 5 inches (125 mm) External diameter 8 inches (200mm) Core size 1 inch (25mm)
<b>Media Thickness (min to max)</b>	63.5 to 254 µm
<b>Media Length (min to max)</b>	0.25 to 64 inches (6.35 to 1625.6 mm)
<b>Media Sensor</b>	Fully adjustable gap, notch and reflective black mark
<b>Main Interface</b>	Dual Interface Serial (RS-232C), USB (version 2.0, full speed)
<b>Interface</b>	Wireless LAN 802.11b and 802.11g standards, 100 metres, 64/128 bit WEP, WPA, up to 54Mbps, Ethernet (10/100 BaseT), Parallel (IEEE 1284 compliant)
<b>Mechanism</b>	Hi-Lift™ metal mechanism with wide opening head
<b>Control panel</b>	4 buttons and 4 LEDs
<b>Emulations (Languages)</b>	Datamax® I-Class™ & DMX400™, Zebra® ZPL-II®, Cross-Emulation™ - automatic switching between Zebra® ZPL-II® and Datamax® I-Class®, DMX400, BASIC interpreter for data stream processing
<b>Drivers and software</b>	Free-of-charge on CD with printer, including support for various platforms
<b>Flash (Non-Volatile Memory)</b>	4 MB total, 1 MB available for user
<b>Size (W x D x H) and Weight</b>	231 x 289 x 183mm, 3.6 Kg
<b>Warranty</b>	2 years on printer. 6 months or 30 Kms on printhead

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions

## CL-S521

### Label, Desktop

## Features & Benefits

- Hi-Open™ case for vertical opening, no increase in footprint and safe closing.
- No more unreadable labels - the ARCP™ ribbon control technology assures clear prints.
- Low space requirement - integrated power supply enables clean work station
- Basic peeler



Полностью металлические механизмы, обеспечивающие надежность и долговечность принтера

# CITIZEN

excluded. © Citizen Systems Europe GmbH, V.1.0

CL-S521

**Label, Desktop**